



Contribution ID: 137

Type: **Contributed talk**

Recent experiments probing isospin symmetry

Wednesday, 10 July 2024 17:15 (20 minutes)

The formal concept of isospin has been introduced to explain the apparent exchange symmetry between neutrons and protons [1]. However, if the nuclear force were the same for protons and neutrons properties such as masses and excitation energies would depend only on the mass number A . Hence, in the absence of isospin-non-conserving effects, two isobaric analog states would be completely degenerate. Naturally, this is never the case since the Coulomb force will lift this degeneracy, but a large degree of symmetry is expected to remain in the underlying wave functions.

In recent years, many theoretical [2–4] and experimental [5–21] efforts have been devoted to study the origin of these isospin asymmetries. Isospin-symmetry-breaking probes include Triplet Energy Differences (TED) [5–11] and Mirror Energy Differences (MED) [12–20], where differences in excitation energies between isobaric analog states are analysed in all three $T_z = -1, 0, 1$ members of a $T = 1$ triplet for the former, and in mirror pairs for the latter. These studies have shown that electromagnetic effects within the shell model alone cannot explain these energy differences, suggesting other effective isospin-non-conserving (INC) interactions are missing from current models.

In this talk, the outcome of recent experiments intended to improve our understanding of isospin-symmetry breaking effects will also be presented, including the first observation of γ -rays between states in ^{94}Ag .

References

- [1] W. Heisenberg, Z. Phys. 77 (1932) 1.
- [2] M.A. Bentley and S.M. Lenzi, Prog. Part. Nucl. Phys. 59 (2007) 497-561.
- [3] M.A. Bentley et al., Phys. Rev. C 92 (2015) 024310.
- [4] S.M. Lenzi et al., Phys. Rev. C 98 (2018) 054322.
- [5] J.R. Brown et al., Phys. Rev. C 80 (2009) 011306(R).
- [6] P.J. Davies et al., Phys. Rev. Lett. 111 (2013) 072501.
- [7] S.A. Milne et al., Phys. Rev. C 93 (2016) 024318.
- [8] S.A. Milne et al., Phys. Rev. Lett. 117 (2016) 082502.
- [9] A. Boso et al., Phys. Rev. Lett. 121 (2018) 032502.
- [10] K. Wimmer, et al., Phys. Rev. Lett. 126, 072501 (2021).
- [11] R.D.O. Llewellyn, et al., Phys. Lett. B 811, 135873 (2020).
- [12] G. de Angelis et al., Eur. Phys. J. A 12 (2001) 51-55.
- [13] B.S. Nara Singh et al., Phys. Rev. C 75 (2007) 061301(R).
- [14] J. Henderson et al., Phys. Rev. C 90 (2014) 051303(R).
- [15] K. Kaneko et al., 109 (2012) 092504.
- [16] P. Ruotsalainen et al., Phys. Rev. C 88 (2013) 041308(R).
- [17] K. Kaneko et al., Phys. Rev. C 89 (2014) 031302(R).
- [18] T. W. Henry et al., Phys. Rev. C 92 (2015) 024315.
- [19] D.M. Debenham et al., Phys. Rev. C 94 (2016) 004300.
- [20] A. Boso, et al., Phys. Lett. B 797, 134835 (2019).
- [21] X. Pereira-López et al. Eur. Phys. J. A, 59:44, (2023).

session

I. Nuclear Structure and Reactions

Primary author: PEREIRA-LOPEZ, Xesus (Center for Exotic Nuclear Studies (CENS), Institute for Basic Science (IBS))

Presenter: PEREIRA-LOPEZ, Xesus (Center for Exotic Nuclear Studies (CENS), Institute for Basic Science (IBS))

Session Classification: I. Nuclear Structure and Reactions